



ENGLISH

L'Arte che  
**FERMA**  
il fuoco

**meverin**<sup>®</sup>  
E N G I N E E R I N G

DESIGN AND MANUFACTURING OF  
FIRE-RATED DOORS AND GATES  
WITH CE MARKING

EFFECTIVE FROM NOVEMBER 2, 2019

## A new regulation dramatically increases the safety level:

→ EVERY party in the supply chain is jointly responsible for non-compliant products: Manufacturer – distributor – authorized testing technician – installer – maintenance provider..

## A choice of VALUE to protect VALUE



### 0% STANDARD

All production is made to measure, even for large and extra-large dimensions.



### DELIVERY TIMES

Comparable to mass production.



### 100% SATISFACTION

Installers and users praise Meverin products.



### TESTED PRODUCTS EVEN IN THE LARGE DIMENSIONS



### TAILORED FOR INSTALLERS

Meverin products make installation intuitive and require no on-site adjustments.

Everything is designed, tested, validated, and filmed before shipment.

Meverin designs and **manufactures custom fire-rated doors of large dimensions, compliant with European standards UNI EN 16034 and UNI EN 13241**, with fire ratings of EI<sub>2</sub> 60, EI<sub>2</sub> 90, EI<sub>2</sub> 120.




## Premium Fire Doors, redesigned and CE certified.

MODULAR SLIDING DOORS –  
LARGE AND EXTRA-LARGE

### Modular Sliding Door

For the entire modular sliding range:

 **CE marking** in accordance with **UNI EN 16034**  
and **UNI EN 13241**.

 Available rating  
**EI<sub>2</sub> 120 - EI<sub>2</sub> 90 - EI<sub>2</sub> 60**.

 **Single** or **double leaf** options, with optional  
pedestrian door.

 Available with motorized  
version **Priority Fire**<sup>®</sup>.

 Wide range of **RAL** and **NCS** colors; also  
available in stainless steel (**INOX**).



The main products of Meverin's core business are used especially in **hospitals, parking lots, industrial and civil buildings, high-traffic public areas like theatres, cinemas, malls, and fairgrounds.**

- ✓ New sliding guide
- ✓ New suspension system
- ✓ New top reinforcement
- ✓ New insulation package
- ✓ New hydraulic speed control device: VISCOTROLLER KALIPÉ
- ✓ New end-of-stroke damper: SAM K
- ✓ New opening retention device: ELM K
- ✓ New counterweight system synchronized with the leaf
- ✓ New overlays and dynamic dimensions compliant with regulations
- ✓ New Priority Fire<sup>®</sup> motorization for fire protection service






## VERTICAL SLIDING DOOR **Guillotine**

For the entire vertical sliding range:

 **CE marking** in accordance with **UNI EN 16034** and **UNI EN 13241**.

 Available rating  
**EI<sub>2</sub> 120**.


 Wide range of **RAL** and **NCS** colors; also available in stainless steel (**INOX**).



## SWING DOORS **Magnum**

For the entire range of swing doors:

 **CE marking** in accordance with **UNI EN 16034** and **UNI EN 13241**.

 Available rating  
**EI<sub>2</sub> 120 - EI<sub>2</sub> 90 - EI<sub>2</sub> 60**.

 **Single** or **double leaf** with optional pedestrian door.

 Wide range of **RAL** and **NCS** colors; also available in stainless steel (**INOX**).





SWING GATE FOR THE HIGHWAY TUNNEL (BYPASS)

## Sansotun



For the entire Sansotun range:



CE marking in accordance with **UNI EN 16034** and **UNI EN 13241**.



Double leaf.



Available rating **EI<sub>2</sub> 120**.



Wide range of **RAL** and **NCS** colors; also available in stainless steel (**INOX**).



ROLL-UP FLEXIBLE CURTAINS

## Curtains



For the entire curtain range:



CE marking in accordance with **UNI EN 16034**, **UNI EN 13241** and **EN 12101**.



Available rating **EI<sub>2</sub> 120 ECO** - **EI<sub>2</sub> 60 ECO** - **D 120** - **DH 120**.



TAILORED DOORS AND GATES - LARGE AND EXTRA-LARGE

## Technical doors (Sliding, Guillotine, Swing)



For the entire Sliding, Guillotine, Swing Technical Door range:



CE marking in accordance with **UNI EN 13241**.



Single or double leaf with optional pedestrian door.



Technical door version.



Wide range of **RAL** and **NCS** colors; also available in stainless steel (**INOX**).



FLEXIBLE SAFETY SOLUTIONS

## Flexible barriers



For all barrier types:



Ideal for workplaces with vehicles, goods, and pedestrian traffic. Designed for warehouses, logistics zones, and industrial environments. Protects worker safety. Preserves structural integrity.



Security



Savings



Flexibility



Visit our site



Register and  
download the  
updated catalog

**meverin**<sup>®</sup>  
E N G I N E E R I N G



**MEVERIN s.r.l.**

Strada della pace, 36  
43058 Sorbolo Mezzani  
PARMA - Italy



+ 39 0521 817342 - 817206



meverin@meverin.com



www.meverin.com